

Field element/Request	StatusRequest	TokenizationRequest	StatusResponse	TokenizationResponse	Description
StatusRequest					
Authentication					
Mid	R	R			
TransactionInfo	R				
OrderId	C				Either OrderId or TxId is required
TxId	C				Either OrderId or TxId is required
StatusResponse			R		
TransactionDetails			R		
OrderId			R		
OrderAmount			R		

Currency			R		
PaymentTotal			R		
Status			R		
TxId			R		
Sequence			O		
PaymentRef			O		
RiskScore			O		
Description			O		
Attribute			O		<p>List of attributes depending on what information is available. Attribute name can be one of the following:</p> <ul style="list-style-type: none"> MERCHANT NO - merchant number, REFUNDED AMOUNT - amount refunded if available, USER IP - use ip if available, CHANNEL - channel originated 3D STATUS - status CAPTURED AMOUNT - captured amt SETTLEMENT FILE - settl file name BATCH NO - batch number ISO response code - iso response if available ExtData - additional data from external payment systems if available ORDER DESCRIPTION - order descr CARD MASK PAN - masked pan 5+3 or 4+4 or 6+2 INSTALLMENT SEQUENCE INSTALLMENT PERIOD INSTALLMENT OFFSET RECURRING SEQUENCE RECURRING END DATE RECURRING FREQUENCY ECOM-FLG - ecom flag in auth message ECI - eci from mpi VAR1..VAR9 PAYEREMAIL PAYERPHONE BILLCOUNTRY BILLSTATE BILLZIP

					BILLADDRESS SHIPCOUNTRY CanCelRequest RecurringOperationRequest StatusRequest TokenizationRequest SHIPSTATE SHIPZIP SHIPADDRESS BONUS PARTICIPATION*, BONUS REF* BONUS ADJUSTMENT* BONUS STATUS* BONUS DETAILS* RETURNING USED** RETURNING ORDER ID** *-Only possible if with special bonus loyalty extension.** **-Only possible if with returning customer extension.
TxType			R		
TxDate			R		
TxStarted			R		
TxCompleted			O		May be missing if transaction did not complete due errors.
PaymentMethod			O		
Card	R	R			CardInfo type ref required, if CSE then encData reuired else pan,exp required
Attribute:ref		R			unique number request id within merchant scope (max 20 chars)

Attribute: pan		C			Card pan (required if plain, no encData)
Attribute: exp		C			Card expiry date (required if plain, no encData, xsd:date (YYYY-MM-DD))
Attribute: chn		C			Cardholder name (required if plain, no encData) return file to match request
Attribute: status				R	Status of tokenization (OK if no errors occurred)
Attribute: tokenValue				O	Value of token
Attribute: panEnd				O	Last 4 digits of pan
Attribute: exp				O	Expiration Date
id	R	R		R	id attribute of request/response matching
status				R	ACCEPTED, PENDING, SUCCESS, ERROR
statusMessage				O	Optional status description
Token				R	Token Information element (one or more) included in TokenizationResponse
Attribute: ref				R	unique number request id within merchant scope used only in

